

WHAT IS CLAIMED IS:

1. An HBV variant exhibiting a replication fitness in the presence of a nucleoside analogue similar to or greater than in the absence of said nucleoside analogue.

2. The HBV variant of claim 1, carrying a mutation in the nucleoside sequence encoding a DNA polymerase resulting in an amino acid addition, substitution and/or deletion in said DNA polymerase in one or more amino acids as set forth in Formula I and/or II:

FORMULA I

L, B₁, B₂, D, W, G, P, C, B₃, B₄, H, G, B₅, H, B₆, I, R, B₇, P, R, T, P, B₈, R, V, B₉, G,
G, V, F, L, V, D, K, N, P, H, N, T, B₁₀, E, S, B₁₁, L, B₁₂, V, D, F, S, Q, F, S, R,
G, B₁₃, B₁₄, B₁₅, V, S, W, P, K, F, A, V, P, N, L, B₁₆, S, L, T, N, L, L, S*

wherein:

- B₁ is L, or R, or I
B₂ is E, or D
B₃ is T, or D, or A, or N, or Y
B₄ is E, or D
B₅ is E, or K, or Q
B₆ is H, or R, or N,
B₇ is I, or T
B₈ is A, or S
B₉ is T or R
B₁₀ is A, or T, or S
B₁₁ is R, or T
B₁₂ is V, or G
B₁₃ is S, or I, or T, or N, or V
B₁₄ is T, or S, or H, or Y

B₁₅ is R, or H, or K, or Q

B₁₆ is Q, or P;

and

5

FORMULA II

SZ₁LSWLSLDVSAAFYHZ₂PLHPAAMPHELLZ₃GSSGLZ₄RY
VARLSSZ₅SZ₆Z₇XNZ₈QZ₉Z₁₀XXXZ₁₁LHZ₁₂Z₁₃CSRZ₁₄LY
VSLZ₁₅LLYZ₁₆TZ₁₇GZ₁₈KLHLZ₁₉Z₂₀HPIZ₂₁LGFRKZ₂₂PM
GZ₂₃GLSPFLLAQFTSAIZ₂₄Z₂₅Z₂₆Z₂₇Z₂₈RAFZ₂₉HCZ₃₀Z₃₁F
Z₃₂YM*DDZ₃₃VLGAZ₃₄Z₃₅Z₃₆Z₃₇HZ₃₈EZ₃₉LZ₄₀Z₄₁Z₄₂Z₄₃Z₄₄
Z₄₅Z₄₆LLZ₄₇Z₄₈GIHLNPZ₄₉KTKRWGYSLNFMGYZ₅₀IG

10

wherein:

15

X is any amino acid;

Z₁ is N or D;

Z₂ is I or P;

Z₃ is I or V;

20

Z₄ is S or D;

Z₅ is T or N;

Z₆ is R or N;

Z₇ is N or I;

Z₈ is N or Y or H;

25

Z₉ is H or Y;

Z₁₀ is G or R;

Z₁₁ is D or N;

Z₁₂ is D or N;

Z₁₃ is S or Y;

30

Z₁₄ is N or Q;

Z₁₅ is L or M;

Z₁₆ is K or Q;

09877340-060304

09877340-060801

	Z ₁₇	is Y or F;
	Z ₁₈	is R or W;
	Z ₁₉	is Y or L;
	Z ₂₀	is S or A;
5	Z ₂₁	is I or V;
	Z ₂₂	is I or L;
	Z ₂₃	is V or G;
	Z ₂₄	is C or L;
	Z ₂₅	is A or S;
10	Z ₂₆	is V or M;
	Z ₂₇	is V or T;
	Z ₂₈	is R or C;
	Z ₂₉	is F or P;
	Z ₃₀	is L or V;
15	Z ₃₁	is A or V;
	Z ₃₂	is S or A;
	Z ₃₃	is V or L or M;
	Z ₃₄	is K or R;
	Z ₃₅	is S or T;
20	Z ₃₆	is V or G;
	Z ₃₇	is Q or E;
	Z ₃₈	is L or S or R;
	Z ₃₉	is S or F;
	Z ₄₀	is F or Y;
25	Z ₄₁	is T or A;
	Z ₄₂	is A or S;
	Z ₄₃	is V or I;
	Z ₄₄	is T or C;
	Z ₄₅	is N or S;
30	Z ₄₆	is F or V;
	Z ₄₇	is S or D;
	Z ₄₈	is L or V;

Z₄₉ is N or Q;
Z₅₀ is V or I; and
M* is amino acid 550

5 and wherein S* in Formula I is designated as amino acid 420 and the first S in Formula II is designated as amino acid 421;

and wherein said variants exhibits a replication fitness in the presence of a nucleoside analogue similar to or greater than in the absence of said nucleoside analogue.

10

3. The HBV variant of claim 2, comprising a mutation in the nucleotide sequence encoding the HBV surface antigen which results in an amino acid addition, substitution and/or deletion in said surface antigen in a region corresponding to the amino acid sequences set forth in Formula I wherein said variants exhibits a replication fitness in the presence of a nucleoside analogue similar to or greater than in the absence of said nucleoside analogue.

15

20 4. The HBV variant of claim 3, comprising a mutation in the nucleotide sequences encoding a DNA polymerase and a mutation in the nucleotide sequences encoding the surface antigen wherein each mutation results in an amino acid addition, substitution and/or deletion to each of the DNA polymerase and surface antigen and wherein said variants exhibits a replication fitness in the presence of a nucleoside analogue similar to or greater than in the absence of said nucleoside analogue.

25

5. An HBV variant comprising a mutation in the nucleotide sequence encoding the HBV surface antigen which results in an amino acid addition, substitution and/or deletion in said surface antigen in a region corresponding to the amino acid sequences set forth in Formula I wherein said variant exhibits a replication fitness in the presence of a

30

09277340-050801

nucleoside analogue similar to or greater than in the absence of said nucleoside analogue.

5 6. A method for determining whether an HBV strain exhibits reduced sensitivity to a
nucleoside analogue, said method comprising isolating DNA or corresponding mRNA
from said HBV and screening for a mutation in the nucleotide sequence encoding the
DNA polymerase and optionally the surface antigen (listed below in parenthesis)
wherein the presence of a T474N (P120T), M550V (I195M), M550I (W196S),
10 L526M, W499S/W499Q (G145R) mutation, or combinations thereof or an equivalent
one or more other mutation is indicative of a variant wherein said variant exhibits a
replication fitness in the presence of a nucleoside analogue similar to or greater than in
the absence of said nucleoside analogue.

15 7. A method for detecting an HBV agent which exhibits inhibitory activity to an HBV,
said method comprising:

20 generating a genetic construct comprising a replication competent-effective amount of
the genome from said HBV contained in a plasmid vector and then transfecting
said cells with said construct;

contacting said cells, before, during and/or after transfection, with the agent to be
tested;

25 culturing said cells for a time and under conditions sufficient for the HBV to replicate,
express genetic sequences and/or assemble and/or release virus or virus-like
particles if resistant to said agent; and

30 subjecting the cells, cell lysates or culture supernatant fluid to viral- or viral-
component-detection means to determine whether or not the virus has

replicated, expressed genetic material and/or assembled and/or been released in the presence of said agent.

- 5 8. ✓ A method for detecting an HBV agent which exhibits inhibitory activity to an HBV, said method comprising:

generating a genetic construct comprising a replication competent-effective amount of the genome from said HBV contained in or fused to an amount of a baculovirus genome effective to infect cells and then infecting said cells with said construct;

contacting said cells, before, during and/or after infection, with the agent to be tested;

15 culturing said cells for a time and under conditions sufficient for the HBV to replicate, express genetic sequences and/or assemble and/or release virus or virus-like particles if resistant to said agent; and

20 subjecting the cells, cell lysates or culture supernatant fluid to viral- or viral-component-detection means to determine whether or not the virus has replicated, expressed genetic material and/or assembled and/or been released in the presence of said agent.

- 25 9. A method for detecting an HBV agent which exhibits inhibitory activity to an HBV, said method comprising:

30 generating a continuous cell line comprising an infectious copy of the genome of said HBV in a replication competent effective amount such that said infectious HBV genome is stably integrated into said continuous cell line such as but not limited to 2.2.15 or AD;

contacting said cells with the agent to be tested;

culturing said cells for a time and under conditions sufficient for the HBV to replicate,
express genetic sequences and/or assemble and/or release virus or virus-like
particles if resistant to said agent; and

subjecting the cells, cell lysates or culture supernatant fluid to viral- or viral-
component-detection means to determine whether or not the virus has
replicated, expressed genetic material and/or assembled and/or been released in
the presence of said agent.

10. ✓ A method of treating a patient infected with HBV, said method comprising
administering to said patient an effective amount of a nucleoside analogue sufficient
initially to inhibit HBV replication, monitoring HBV levels to ascertain the presence of
an increased viral load in the presence of said nucleoside analogue and then changing
the therapeutic protocol to permit inhibition of HBV levels.

11. ✓ A method of treating a subject infected with HBV, said method comprising
administering to said subject an effective amount of FAM and/or LAM or its chemical
derivatives or homologues or a functionally related nucleoside analogue for a time and
under conditions sufficient for the development of HBV variants resistant to and
exhibiting nucleoside analogue mediated replication fitness to said nucleoside
analogue and optionally resistance to HBIG or its equivalent and then altering the
therapeutic protocol to enable the inhibition of replication of the HBV variants.

12. ✓ A method of treating a subject infected in with HBV, said method comprising
administering to said subject an anti-HBV agent or combination of agents which after
prolonged exposure to said HBV does not select for nucleoside analogue mediated
replication fitness HBV variants.

09877340-060604

13. Use of an HBV variant which has a level of replication fitness in the presence of a nucleoside analogue similar to or greater than in the absence of said nucleoside analogue in the detection of an anti-viral agent capable of inhibiting the replication of said HBV variant.
14. A computer program product for assessing the likely usefulness of a viral variant or biological sample comprising same for determining an appropriate therapeutic protocol in a subject, said product comprising:
- (1) code that receives as input index values for at least two features associated with said viral agents or biological sample comprising same, wherein said features are selected from:
 - (a) the ability to exhibit resistance for reduced sensitivity to a particular compound or immunological agent;
 - (b) an altered DNA polymerase from wild-type HBV;
 - (c) an altered surface antigen from wild-type HBV; or
 - (d) morbidity or recovery potential of a patient;
 - (2) code that adds said index values to provide a sum corresponding to a potency value for said viral variants or biological samples; and
 - (3) a computer readable medium on which said codes are encoded.

15. The computer program product of claim 14, wherein the computer program product comprises a working memory, a random access memory, or a mass storage memory.
- 5 16. The computer program product of claim 14, wherein the computer readable medium comprises a magnetic medium or an optical medium.
- 10 17. The computer program product of claim 14, wherein the computer readable medium comprises a disk or a device.
- 15 18. A computer for assessing the likely usefulness of a viral variant or biological sample comprising same in a subject, wherein said computer comprises:
- 20 (1) a machine-readable data storage medium comprising a data storage material encoded with machine-readable data, wherein said machine-readable data comprise index values for at least two features associated with said viral variant or biological sample, wherein said features are selected from:
- 25 (a) the ability to exhibit resistance for reduced sensitivity to a particular compound or immunological agent;
- (b) an altered DNA polymerase from wild-type HBV;
- (c) an altered surface antigen from wild-type HBV; or
- (d) morbidity or recovery potential of a patient;
- 30 (2) a working memory for storing instructions for processing said machine-readable data;

(3) a central-processing unit coupled to said working memory and to said machine-readable data storage medium, for executing said instructions to process said machine readable data to provide a sum of said index values corresponding to a potency value for said compound(s); and

5

(4) an output hardware coupled to said central processing unit, for receiving said potency value.

10 19. The computer of claim 18, wherein the machine-readable data storage medium comprises a portion of the working memory or a mass storage memory.

15 20. The computer of claim 18, wherein the working memory or the machine-readable data storage medium comprises a magnetic medium or an optical medium.

20 21. The computer product of claim 18, wherein the working memory or the machine-readable data storage medium comprises a disk or a device.

25 22. A computer readable program storage medium encoded with instructions that, when executed by a computer, perform a method for assessing the likely usefulness of a viral variant or biological sample comprising same for determining an appropriate therapeutic protocol in a subject, said method comprising:

(1) obtaining index values for at least two features associated with said viral agents or biological sample comprising same, wherein said features are selected from:

30 (a) the ability to exhibit resistance for reduced sensitivity to a particular compound or immunological agent;

(b) an altered DNA polymerase from wild-type HBV;

(c) an altered surface antigen from wild-type HBV; or

5 (d) morbidity or recovery potential of a patient; and

(2) processing said index values to provide a potency value for said viral variants or biological samples.

10

23. The computer readable program storage medium of claim 22, wherein the computer program product comprises a working memory, a random access memory, or a mass storage memory.

15

24. The computer readable program storage medium of claim 22, wherein the computer readable medium comprises a magnetic medium or an optical medium.

20

25. The computer readable program storage medium of claim 22, wherein the computer readable medium comprises a disk or a device.

25

26. The computer readable program storage medium of claim 22, wherein processing said index values in the encoded method comprises adding the index values to provide a sum corresponding to the potency value.

30

27. The computer readable program storage medium of claim 22, wherein obtaining the index values in the encoded method comprises reading the index values from a storage or receiving the index values.

28. A computer programmed to perform a method for assessing the likely usefulness of a viral variant or biological sample comprising same for determining an appropriate therapeutic protocol in a subject, said method comprising:

5

(1) obtaining index values for at least two features associated with said viral agents or biological sample comprising same, wherein said features are selected from:

10

(a) the ability to exhibit resistance for reduced sensitivity to a particular compound or immunological agent;

(b) an altered DNA polymerase from wild-type HBV;

15

(c) an altered surface antigen from wild-type HBV; or

(d) morbidity or recovery potential of a patient; and

20

(2) processing said index values to provide a potency value for said viral variants or biological samples.

29. The programmed computer of claim 28, wherein processing said index values in the programmed method comprises adding the index values to provide a sum corresponding to the potency value.

25

30. The programmed computer of claim 28, wherein obtaining the index values in the programmed method comprises reading the index values from a storage or receiving the index values.

30

31. The programmed computer of claim 28, wherein the programmed computer comprises a desktop personal computer, a workstation, a laptop computer, a desktop computer, a mini-computer, a mainframe computer, a supercomputer, or an embedded processor.

5

32. ✓ A computing system programmed to perform a method for assessing the likely usefulness of a viral variant or biological sample comprising same for determining an appropriate therapeutic protocol in a subject, said method comprising:

10

(1) obtaining index values for at least two features associated with said viral agents or biological sample comprising same, wherein said features are selected from:

(a) the ability to exhibit resistance for reduced sensitivity to a particular compound or immunological agent;

15

(b) an altered DNA polymerase from wild-type HBV;

(c) an altered surface antigen from wild-type HBV; or

20

(d) morbidity or recovery potential of a patient; and

(2) processing said index values to provide a potency value for said viral variants or biological samples.

25

33. The computing system of claim 32, wherein processing said index values in the programmed method comprises adding the index values to provide a sum corresponding to the potency value.

30

34. The computing system of claim 32, wherein obtaining the index values in the programmed method comprises reading the index values from a storage or receiving the index values.

- 5 35. The computing system of claim 32, wherein the computing system comprises a local area network, a wide area network, a system area network, an intranet, or a portion of the Internet.

0927340-060801
"OFFICE"